

Contents of Volume 43

Number 1

- 1 Synthesis and properties of reactive dyes, derivatives of 3,10-bis(3'-aminopropylamino)-6,13-dichlorotriphenodioxazin-4,11-disulphonic acid
J. KRASKA, Z. BORUSZCZAK & B. ŁANDWIJT (Poland)
- 7 Topochemical photoreaction of self-assembled styryldicyanopyrazine dyes and their solid state spectral properties
J.H. KIM, Y. TANI, M. MATSUOKA & K. FUKUNISHI (Japan)
- 15 The influence of hydrogen bonding on the photoinduced interaction of 9-anthracenecarboxylic acid and xanthene dye esters
H. ZHANG, M. ZHANG & T. SHEN (People's Republic of China)
- 21 Novel fluorescent chemosensor for Li^+ based on a squarylium dye carrying a monoazacrown moiety
S.-H. KIM, S.-K. HAN, S.-H. PARK, C.-M. YOON & S.-R. KEUM (South Korea)
- 27 ^{15}N , ^{13}C and ^1H NMR spectra and azo-hydrazone tautomerism of some dyes prepared by coupling of 1-naphthalenediazonium salt
A. LYČKA (Czech Republic)
- 33 Ionization and tautomerism of oxyxanthene dyes in aqueous butanol
N.O. MCHEDLOV-PETROSSYAN, O.N. TYCHINA, T.A. BEREZHNYA (Ukraine), V.I. ALEKSEEVA & L.P. SAVVINA (Russia)
- 47 Investigation of the heterogeneity of organic pigment particle surfaces using a film flotation method
R.R. MATHER & D. TAYLOR (UK)
- 51 Modification of cotton cellulose with sodium benzoylthioglycollate and its effect on its dyeability with disperse dyes
Part 1: synthesis and characterisation of sodium benzoylthioglycollate
P.J. BROADBENT & D.M. LEWIS (UK)
- 59 New fluorescent indolium and quinolinium dyes for applications in aqueous halide sensing
C.D. GEDDES, P. DOUGLAS, C.P. MOORE, T.J. WEAR & P.L. EGERTON (UK)
- 65 Book review

Number 2

- 67 The structure and ^{13}C -NMR of an indolenium squaraine dye
L. TONG, P. BI-XIAN & B. FENGLIAN (People's Republic of China)
- 73 The crystal structure of a squarylium dye,
2,4-bis[(1-isopropyl-3,3-dimethyl-2-indolinyldene)methyl]cyclobutenediylum-1,3-diolate
L. TONG & P. BI-XIAN (People's Republic of China)
- 77 Dioxadiaz macrocycle-substituted phthalocyanines
E. HAMURYUDAN, Z. ALTUNTAS BAYR & Ö. BEKAROGLU (Turkey)

- 83 Synthesis and bromination of 4-alkylamino-N-alkyl-1,8-naphthalimides
S.-C. CHANG, R.E. UTECHT & D.E. LEWIS (USA)
- 95 Degradation of commercial reactive dyestuffs by heterogenous and homogenous advanced oxidation processes: a comparative study
I. ARSLAN & I. AKMEHMET BALCIOĞLU (Turkey)
- 109 Photobleaching of chlorins in homogeneous and heterogeneous media
Y. HONGYING, W. FUYUAN & Z. ZHIYI (China)
- 119 Synthesis and photochromic properties of new spiro[azahomoadamantane-naphthoxazines]
K. CHAMONTIN, V. LOKSHIN, A. SAMAT, R. GUGLIELMETTI, R. DUBEST & J. AUBARD (France)
- 127 Analysis of sulphonated dyes and intermediates by electrospray mass spectrometry
M. HOLČAPEK, P. JANDERA & J. PŘIKRYL (Czech Republic)
- 139 Naphthalimide hydroperoxides as photonucleases: substituent effects and structural basis
Z.-F. TAO & X. QIAN (China)
- 147 Application of luminescent materials to encoding in authorized access systems
Y.A. GURKALENKO, V.B. DISTANOV, V.F. BERDANOVA, A.N. SERYAKOV, N.V. YAKOBCHUK (Ukraine) & V.V. PREZHDO (Ukraine) (Poland)
- 153 The dyeing performance on cotton of reactive dyes containing the α -bromoacrylamido group
D.A.S. PHILLIPS, J.A. TAYLOR, Y.-C. KAO & I. ANSARI (UK)

Number 3

- 161 Synthesis and fluorescence properties of 9,10-bis(phenylethynyl)anthracenes
B. LI, W. MIAO & L. CHENG (People's Republic of China)
- 167 Synthesis and application of direct black dyes containing 4,4'-diaminodiphenyl sulfonamide
S. ZHANG, X. CHENG & J. YANG (People's Republic of China)
- 173 The light stability of azo dyes and azo dyeings
IV. Kinetic studies on the role of dissolved oxygen in the photofading of two heterobifunctional azo reactive dyes in aqueous solution
P. ARANYOSI, M. CZILIK, E. RÉMI, G. PARLAGH, A. VIG & I. RUSZNÁK (Hungary)
- 183 Synthesis and properties of disazo acid dyes
K. BLUS (Poland)
- 189 The use of capillary electrophoresis to study the formation of carcinogenic aryl amines in azo dyes
S. BORRÓS, G. BARBERÁ, J. BIADA & N. AGULLÓ (Spain)
- 197 The synthesis and properties of some unsaturated triazinylstilbene fluorescent brightening agents
T.N. KONSTANTINOVA, Hr. I. KONSTANTINOV & R.I. BETCHEVA (Bulgaria)
- 203 Difunctional pyrene derivatives as fluorescent brightening agents for condensation polymers
D.M. CONNOR, D.M. COLLARD, C.L. LIOTTA & D.A. SCHIRALDI (USA)
- 207 Spin pairing ('dimerisation') of the viologen radical cation: kinetics and equilibria
P.M.S. MONK, N.M. HODGKINSON & S.A. RAMZAN (UK)
- 219 Spectroscopic and photochemical properties of Malachite Green noncovalently bound to bovine serum albumin
J.A. BARTLETT & G.L. INDIG (USA)
- 227 Synthesis and spectra of tetrakis (4-dimethylaminophenyl) hexadienes
P. ŠIMON, M. LANDL & M. BREZA (Slovak Republic)
- 235 N-Aryl-1,8-naphthalimides as highly sensitive fluorescent labeling reagents for carnitine
K.-I. NAKAYA, K. FUNABIKI, H. MURAMATSU, K. SHIBATA & M. MATSUI (Japan)
- 241 The colours of charge-transfer complexes of methyl viologen: effects of donor, ionic strength and solvent
P.M.S. MONK, N.M. HODGKINSON & R.D. PARTRIDGE (UK)

